

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director
Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

For a petition to be considered valid it must:

1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-25001

Stream : West Fork White River

Applicant : Indiana Rail Road Company (INRD)
Peter J Ray, PE, General Manager Eng
101 West Ohio Street, Suite 1600
Indianapolis, IN 46204-1994

Description : Approximately 320 cubic yards of fill material will be placed around the bases of three railroad bridge piers. Due to the loss of compacted material from beneath the pier footings and from around the wooden pilings, emergency repairs to the piers is proposed. Drift and debris removal from around three piers will occur before any repairs. Repairs will consist of fabric formed mats, fabric formed grout bags, and vinyl sheet piling. Details of the project are contained in information and plans received at the Division of Water on September 17, 2008.

Location : At the railroad crossing over the West Fork White River
near Bloomfield, Fairplay Township, Greene County
W½, SW¼, SE¼, Section 21, T 7N, R 5W, Bloomfield Quadrangle
Quad Code: 3908618
UTM Coordinates: Downstream 4319597 North, 502819 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-25002

Stream : Halfway Creek

Applicant : Delaware County Highway Department
Michael Denton
7700 East Jackson Street
Muncie, IN 47303-9265

Description : The existing single-span steel beam bridge deck will be replaced with a 57' single-span steel beam bridge deck; the beams will remain in place. Incidental work at the tops of the abutment columns, located at each corner of the bridge, will be necessary to match the new bridge deck. The structure will be built with a 32 degree skew (left) to align with stream flow. Upon completion of the surface milling, approaches will consist of two 11' wide asphalt lanes which will be placed over the existing surface. The existing earth shoulders will have minimal construction and will take place at the roadway edges as a result of the asphalt surface placement. Work below the OHM in the channel will include placement of revetment riprap over geotextile at the bridge abutments. Clearing of vegetation will be limited to the construction limits. Details of the project are contained in information and plans received at the Division of Water on September 18, 2008.

Location : Water Street Bridge over Halfway Creek. Located approximately 800' south of the State Road 28 and Water Street intersection
DOWNSTREAM: near Albany, Delaware Township, Delaware County
SW¼, NW¼, SW¼, Section 1, T 21N, R 11E, Redkey Quadrangle
Quad Code: 4008532
UTM Coordinates: Downstream 4462294 North, 649821 East
UPSTREAM:
UTM Coordinates: Upstream 4462307 North, 649828 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-25004

Stream : West Branch Clear Creek

Applicant : IEC Ventures, LLC
Randy Lloyd
1720 North Kinser Parkway
Bloomington, IN 47404-2210

Description : A roadway and parking lot will be constructed as part of an 8.6 acre commercial development. The roadway and parking are proposed in association with 4 proposed commercial building located outside the floodway. The roadway and parking lots will be constructed with asphalt drive isles and pervious concrete parking stalls. Islands within the parking lots will be used as bio-retention ponds planted with native plantings and outfitted with underdrain piping intended to capture and treat stormwater runoff prior to discharging to the stream. Fill for the parking lots will vary in depth from approximately 1.0' to 0.75' nearest the stream to approximately 2.0' landward and will be set back a minimum of 75' from the stream bank. Cutting is proposed between the parking lots and the east bank of the stream. An existing roadway leading to an existing bridge will be improved and will remain near existing grade elevations. Details of the project are contained in information and plans received at the Division of Water on September 19, 2008.

Location : Beginning approximately 600' south of the Rogers Street and Allen Street intersection, extending 1500' south and 700' west
at Bloomington, Perry Township, Monroe County
SE¼, SE¼, Section 5, T 8N, R 1W, Bloomington Quadrangle
Quad Code: 3908625
UTM Coordinates: Downstream 4333833 North, 539708 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-25007

Stream : Sugar Creek

Applicant : Division of Fish & Wildlife
Gregg McCollam
402 West Washington Street
ICG South, Room 273
Indianapolis, IN 46204-2781

Description : A 150' long by 8' wide river rock pedestrian trail will be constructed adjacent to the south bank of the creek. In addition to the trail, the following will also be constructed; 2) a 75' by 75' parking lot, 3) a 150' long by 16' wide stone driveway. Details of the project are contained in information and plans received at the Division of Water on September 23, 2008.

Location : Approximately 3300' west and 200' south of the Offield Monument Road and the Camp Rotary Road intersection
near Ripley, Ripley Township, Montgomery County
NE¼, SW¼, Section 16, T 18N, R 5W, Crawfordsville Quadrangle
Quad Code: 4008618
UTM Coordinates: Downstream 4427894 North, 500987 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-25010

Stream : Firlick Creek

Applicant : Soup Properties LLC
Mike Campbell
1708 South Wendel Road
Evansville, IN 47720

Description : A multi-structure neighborhood commercial facility will be constructed on fill in the left overbank of Firlick Creek. Access to the facility will be from Kansas Road. Utility extensions to the proposed structures, interior sidewalks, paving, lighting, curbing, stormwater retention/detention pond (4:1 side slopes), parking areas, signage, and a billboard are also proposed. The fill pad will have side slopes towards the creek of 3:1 or flatter, and the proposed structures will each have a finished floor elevation of 394.9' (NAVD 1988) or higher. An incised lake (borrow area) is proposed that will generate fill material for the proposed development as well as for use on off-site construction projects. Some clean fill material may be placed from offsite locations. Presently, the total volume of material to be removed from the basin is unknown-it will vary with demand for fill material by construction projects in the nearby area. Erosion and sediment control measures will be employed during construction. The proposed borrow area side slopes will be 2:5:1 or flatter. A tree farm is proposed in future construction along the west (right) overbank of Firlick Creek on the downstream side of Kansas Road. A commercial tent or road-ready trailer would be utilized to conduct sales for trees and landscape plants on a seasonal basis; a driveway culvert in the roadside ditch on the south side of Kansas Road will be placed. The incised lake is proposed between Firlick Creek and the proposed commercial development. The final pool elevation of the lake will not be regulated by a control structure; the borrow area will be allowed to fill during rain and any flow events that may overtop the stream channel banks. It is proposed to excavate borrow in a chambered sequence. When fill material is needed excess water can be pumped from chamber to chamber; silt laden water will not be pumped into Firlick Creek. Details of the project are contained in information received electronically at the Division of Water on September 26, 2008 and in plans and information received at the Division of Water on

Location : The project is along Firlick Creek, a tributary to Bluegrass Creek, on the west side of US Highway 57. The site is at the southwest quadrant of the intersection of U.S. Highway 57 and Kansas Road
near Evansville, Center Township, Vanderburgh County
NE¼, Section 27, T 5S, R 10W, Evansville North Quadrangle
Quad Code: 3808715

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-25012

Stream : Sugar Creek

Applicant : Whitley County Drainage Board
County Surveyor
Whitley County Government Center
220 West Van Buren Suite 203
Columbia City, IN 46725-2056

Description : Approximately 11,200 feet of the creek will be dredged to restore channel depth. The creek will be dredged to a depth of up to 4 feet with 2:1 sideslopes and a 1% bottom grade. The excavated material will be sidecast and graded on the adjacent land, excluding wetland areas. Spoil will be spread at a maximum depth of 12 inches, within the 75 foot easement of the legal drain. Bank sides and top will be reseeded. Details of the project are contained in information and plans received at the Division of Water on September 26, 2008.

Location : Along the north bank of the Goble Drain beginning approximately at the Meridian Road (station 00+00) running 5900 feet northeasterly to State Road 9. Then from State Road 9 southerly, ending at station 112+5 650 feet south of East 800 South

The Goble Drain is located in three townships in Whitley County. The project site is in Washington Township of Whitley County, one half mile west of Laud. The project site is located in the S2 of Section 14, SW4 of Section 23 and the NE4 of Section 24 Township 30, Range 9. The US Geological Survey topographical map name is Sugar Creek

DOWNSTREAM: near Laud, Washington Township, Whitley County
W½, SW¼, S½, Section 24, T 30N, R 9E, Laud Quadrangle
Quad Code: 4108514

UTM Coordinates: Downstream 4545775 North, 626935 East

UPSTREAM: near Laud, Washington Township, Whitley County
N½, NE¼, N½, Section 24, T 30N, R 9E, Laud Quadrangle
Quad Code: 4108514

UTM Coordinates: Upstream 4545110 North, 629425 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-25019

Stream : Pigeon Creek

Applicant : City of Evansville
Patrick R Keepes
1 NW Martin Luther King Jr Blvd
Civic Center Complex, Room 321
Evansville, IN 47709-1833

Description : This project consists of rehabilitating the crossing of Oak Hill Road over Pigeon Creek. The proposed structure will match the existing structure in terms of vertical alignment, horizontal alignment, and length. The existing substructure, beams, and deck will remain. The proposed cross-section, however, will consist of one 12'-0 lane and one 14'-0 lane both eastbound and westbound bounded by a 2'-0 gutter, a 4'-3 sidewalk, and a 1'-0 rail. The median curb will be removed and the proposed out-to-out coping dimension will match the existing. An appropriate length of guardrail will be placed off all four corners of the bridge. Details of the project are contained in information received electronically at the Division of Water on October 1, 2008 and in plans and information received at the Division of Water on

Location : The project is located at the crossing of Oak Hill Road over Pigeon Creek at Evansville, Knight Township, Vanderburgh County

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : PL-21168
- Lake : Pretty Lake
- Applicant : Pretty Lake Property Owners Association
Don Marohn
10163 Pretty Lake Trail
Plymouth, IN 46563-9457
- Description : A concrete boat ramp will be constructed along 14' of the applicant's frontage. The ramp will extend approximately 30' lakeward of the lake's legal shoreline. Approximately 100 tons of #2 limestone has been laid down at the proposed ramp site to serve as a base for the new concrete slabs. The new ramp will be use to service as access for boats for the lake. Details of the project are contained in information and plans received at the Division of Water on September 5, 2008.
- Location : Along the west shore at Country Club Drive; immediately North of the existing tennis courts
near Plymouth, West Township, Marshall County
SW¼, NW¼, NE¼, Section 11, T 33N, R 2E, Plymouth Quadrangle
Quad Code: 4108633
UTM Coordinates: Downstream 4575452 North, 552272 East
- Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11
- Application # : PL-21174
- Lake : Tippecanoe Lake
- Applicant : Lakeview Terrace Mobile Home Park Inc
Lewis Neibert, President
5306 East Ridgeview Drive
Leesburg, IN 46538-8400
- Description : A new glacial stone seawall will be constructed across 850' of the applicant's frontage. The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of Water on September 8, 2008.
- Location : At the Lakeview Terrace Mobile Home Park
near Leesburg, Tippecanoe Township, Kosciusko County
N½, SW¼, SW¼, Section 17, T 33N, R 7E, North Webster Quadrangle
Quad Code: 4108536
UTM Coordinates: Downstream 4574828 North, 604912 East
- Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-21176

Lake : Sylvan Lake

Applicant : Fred Hill
02278 State Road 15
Ney, OH 43549-9712

Description : A concrete seawall will be refaced with a layer of concrete across 57' of the applicant's frontage. The reface layer will be keyed to the wall's lakeward face. Also, a 28.5' by 20' underwater beach will be constructed across 28.5' of the applicant's 57' frontage by placing a uniform 6" layer of pea gravel on the lakebed. Details of the project are contained in information and plans received at the Division of Water on September 11, 2008.

Location : 114 Triplett Point; Lot 4 of Triplett Point
near Rome City, Orange Township, Noble County
SW¼, NE¼, NE¼, Section 16, T 35N, R 10E, Kendallville Quadrangle
Quad Code: 4108543
UTM Coordinates: Downstream 4594805 North, 636050 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-21182

Lake : Webster Lake

Applicant : Wesley and Ann Bell
28 EMS West 16 A Lane
North Webster, IN 46555-9695

Description : A new concrete seawall will be constructed across 60' of the applicant's frontage. The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of Water on September 16, 2008.

Location : 28 EMS W16A Lane
near North Webster, Tippecanoe Township, Kosciusko County
SE¼, NE¼, SW¼, Section 12, T 33N, R 7E, North Webster Quadrangle
Quad Code: 4108536
UTM Coordinates: Downstream 4576162 North, 611789 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-21183

Lake : Williams Lake

Applicant : *Indiana Department of Natural Resources
Division of Fish and Wildlife
Gregg McCollam
402 West Washington Street, Room W273
Indianapolis, IN 46204-2781

Description : A concrete boat ramp will be constructed along 15' of the property owner's 775' frontage. The ramp will extend 48' lakeward of the lake's legal shoreline. A steel sheet piling seawall, which is part of the proposed transfer pad, will be installed across 12' of the frontage. A field stone seawall will be constructed across 45' of the frontage. The field stone seawall will measure 15' north of the ramp, 20' between the ramp and transfer pad, and 10' south of the transfer pad for erosion control. The lakeward face of the seawalls will be located along the lake's legal shoreline. Additionally, an area approximately 21' by 50' will be dredged lakeward of the proposed ramp location to a maximum depth of 4' below the lake's legal level and an area approximately 25' by 30' will be dredged lakeward of the steel seawall to a maximum depth of 3' below the lake's legal level. The dredging will be performed by backhoe and the excavated material will be hauled to an upland area for disposal. Details of the project are contained in information and plans received at the Division of Water on September 16, 2008.

Location : Located approximately 3100' west and 1800' south of the County Road 100 South and County Road 150 West intersection
near Merriam, Noble Township, Noble County
E½, SE¼, NE¼, Section 10, T 33N, R 9E, Merriam Quadrangle
Quad Code: 4108534
UTM Coordinates: Downstream 4576867 North, 628600 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : PL-21185
- Lake : Tippecanoe Lake
- Applicant : Lakeview Terrace Mobile Home Park Inc
Lewis Neibert, President
5306 East Ridgeview Drive
Leesburg, IN 46538-8400
- Description : A new concrete seawall will be constructed across 3500' of the applicant's frontage. The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of Water on September 16, 2008.
- Location : Along manmade channels at Lakeview Terrace Mobile Home Park
near Leesburg, Tippecanoe Township, Kosciusko County
SW $\frac{1}{4}$, SW $\frac{1}{4}$, NW $\frac{1}{4}$, Section 17, T 33N, R 7E, North Webster Quadrangle
Quad Code: 4108536
UTM Coordinates: Downstream 4574684 North, 604878 East
- Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11
- Application # : PL-21187
- Lake : Webster Lake
- Applicant : Scott Heath
2116 Foxboro Drive
Fort Wayne, IN 46818-1823
- Description : A new concrete seawall will be constructed across 90' of the applicant's frontage. The lakeward face of the wall will be located along the lake's legal shoreline. The existing deteriorated concrete seawall will be completely removed. Details of the project are contained in information and plans received at the Division of Water on September 22, 2008.
- Location : 614 Albert Eckert Drive; Lot 13 of Albert Eckert Addition
near North Webster, Tippecanoe Township, Kosciusko County
SE $\frac{1}{4}$, SE $\frac{1}{4}$, NE $\frac{1}{4}$, Section 10, T 33N, R 7E, North Webster Quadrangle
Quad Code: 4108536
UTM Coordinates: Downstream 4576362 North, 609306 East
- Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11